


LIGHTING REDEFINED

LED LIGHTING CATALOGUE 2025





TERMINOLOGY




**All Dimensions are in "mm"*

Understanding colour temperature & CRI

Exploring the Different Shades of Light: A Guide to Color Temperature from 1000K to 10000K

Color temperature is a crucial aspect of lighting design, as it can greatly impact the mood and atmosphere of a space. The color temperature scale ranges from warm yellowish tones (lower temperatures) to cool blueish hues (higher temperatures).

A light source with a color temperature of 1000K would emit a deep red or orange light, while a light source with a color temperature of 10000K would emit a bright, bluish light. Understanding the different shades of light on this scale can help you choose the right lighting for your needs, whether it be for a cozy bedroom or a vibrant workspace.



Colour Rendering Index



Color temperature is a crucial aspect of lighting design, as it can greatly impact the mood and atmosphere of a space. The color temperature scale ranges from warm yellowish tones (lower temperatures) to cool blueish hues (higher temperatures).

Expressed as a scale from 0 to 100, with a higher CRI indicating a better color rendering ability. A CRI of 100 is considered perfect color rendering, meaning the colors will appear as they would under natural sunlight. CRI is an important consideration for lighting applications where color accuracy is critical, such as in art galleries, retail stores, and photography studios.

41
36
26
39
01
03
05
08
09
16
11
12
17
26
33
35
27
28
37
15

BATTEN LIGHTS
BAR FLOOD LIGHTS
BULKHEAD LIGHTS
CLEANROOM LIGHTS
COB LIGHTS
COB CURIO LIGHTS
COB HLD LIGHTS
COB ZOOM LIGHTS
COB SURFACE LIGHTS
CONTROLLERS
DOWN LIGHTS
DOME LIGHTS
DRIVERS
FACADE LIGHTS
FLAMEPROOF LIGHTS
FLOOD LIGHTS
FOOT LIGHTS
GARDEN LIGHTS
HIGH BAY LIGHTS
LED STRIP LIGHTS

INDEX
INDEX

18
40
39
13
36
38
23
41
32
31
21
31
27
39

NEON STRIP LIGHTS
PANEL LIGHTS
PIT LIGHTS
PROFILE LIGHTS
SPORTS FLOOD LIGHTS
STREET LIGHTS
TRACK LIGHTS
TRI PROOF LIGHTS
TRICK LIGHTS
UNDERGROUND LIGHTS
VINTAGE LIGHTS
WALL LIGHTS
WALL WASHER LIGHTS
WELL GLASS LIGHTS



FortuneArrrt

Wires · Cables · LEDs

COB lights

LSR1

Wattage : 1W
Cut-out : 28
Dimension : 37 x 32
Beam angle : 42°
MRP : ₹335



LSR3

Wattage : 3W
Cut-out : 32
Dimension : 35 x 50
Beam angle : 42°
MRP : ₹400



LSR3/1

Wattage : 3W
Cut-out : 32
Dimension : 42 x 20
Beam angle : 36°
MRP : ₹390



LC5R/12

Wattage : 5W
Cut-out : 78
Dimension : 85 x 30
Beam angle : 36°
MRP : ₹1240



LC8R/12

Wattage : 8W
Cut-out : 97
Dimension : 108 X 32
Beam angle : 36°
MRP : ₹1495



LC12R/12

Wattage : 12W
Cut-out : 118
Dimension : 128 X 35
Beam angle : 36°
MRP : ₹1810



LC6R/11

Wattage : 6W
Cut-out : 33
Dimension : 40 X 63
Beam angle : 42°
MRP : ₹825



LC10R/11

Wattage : 10W
Cut-out : 50
Dimension : 60 X 82
Beam angle : 36°
MRP : ₹1190



LC7R/1

Wattage : 7W
Cut-out : 75
Dimension : 81 x 52
Beam angle : 42°
MRP : ₹1230



LC7Q/1

Wattage : 7W
Cut-out : 75 x 75
Dimension : 81 x 81 x 52
Beam angle : 42°
MRP : ₹1230



LC10R/5

Wattage : 10W
Cut-out : 80
Dimension : 90 x 85
MRP : ₹1300



LC10R/7

Wattage : 10W
Cut-out : 80
Dimension : 105 x 75
Beam angle : 36°
MRP : ₹1670



LC12RN/1

Wattage : 12W
Cut-out : 95
Dimension : 110 x 58
Beam angle : 24°
MRP : ₹1420



LC30RN/1

Wattage : 30W
Cut-out : 118
Dimension : 160 x 118
Beam angle : 24°
MRP : ₹2925



LC12R/3

Wattage : 12W
Cut-out : 105
Dimension : 132 x 85
Beam angle : 120°
MRP : ₹1275



COB lights

LC20R



Wattage : 20W
Cut-out : 160
Dimension : 176 X 135
Beam angle : 24°
MRP : ₹3820

LC25RPS/1



Wattage : 25W
Cut-out : 129
Dimension : 139 X 90
Beam angle : 24°
MRP : ₹1515

LC30R/2



Wattage : 30W
Cut-out : 160
Dimension : 180 X 90
Beam angle : 24°
MRP : ₹4040

LCR/10

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
LC10R/10	10W	95	110 x 120	24°	₹1120
LC15R/10	15W	105	120 x 135	24°	₹1475
LC25R/10	25W	135	150 x 160	42°	₹2555
LC30R/10	30W	165	180 x 160	36°	₹3040



XCT

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
XCT3	3W	59	70 x 38	36°	₹540
XCT7	7W	70	89 x 50	36°	₹730
XCT12	12W	80	105 x 62	36°	₹945
XCT15	15W	80	105 x 62	36°	₹1070
XCT20	20W	137	145 x 82	36°	₹1675
XCT24	24W	137	145 x 82	36°	₹1745
XCT30	30W	137	145 x 82	36°	₹1915
XCT40	40W	142	165 x 80	36°	₹2710



XCTB

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
XCTB3	3W	59	70 x 38	36°	₹540
XCTB7	7W	70	89 x 50	36°	₹730
XCTB12	12W	80	105 x 62	36°	₹945
XCTB15	15W	80	105 x 62	36°	₹1070
XCTB20	20W	137	145 x 82	36°	₹1675
XCTB24	24W	137	145 x 82	36°	₹1745
XCTB30	30W	137	145 x 82	36°	₹1915



XC

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
XC25	5W	60	82 X 53	60°	₹790
XC210	10W	85	100 x 53	24°	₹935
XC215	15W	100	125 X 50	42°	₹1225
XC220	20W	136	150 x 55	120°	₹1420
XC225	25W	157	177 x 70	80°	₹1840
XC230	30W	157	177 x 70	80°	₹2015



YC

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
YC25	5W	60 X 60	75 x 75 x 53	60°	₹860
YC210	10W	85 X 85	105 X 105 X 53	75°	₹1015
YC215	15W	110 X 110	135 X 135 X 52	100°	₹1315
YC220	20W	135 X 135	155 X 155 X 53	120°	₹1630



CURIO cob lights

CAC17/27

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC17	10W	75	90 x 62	24°	₹1305
CAC27	20W	90	110 x 123	24°	₹1950



CAC41

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC41	10W	65	70 x 100	36°	₹1540



CAC42/46

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC42	10W	65	70 x 100	36°	₹1540
CAC46	25W	98	105 x 110	24°	₹2215



CAC53/55

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC53	12W	54	59 x 62	36°	₹1550
CAC55	15W	70	75 x 90	36°	₹2120



CAC52/54/56

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC52	7W	38	40 x 58	36°	₹1100
CAC54	12W	54	59 x 62	36°	₹1550
CAC56	15W	70	75 x 90	36°	₹2120



CAC91/92/93

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC91	7W	69	74 x 70	36°	₹1315
CAC92	12W	79	85 x 80	36°	₹1440
CAC93	18W	95	100 x 98	36°	₹1890



CAC101/104

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC101	7W	56	62 x 64	36°	₹1060
CAC104	12W	76	82 x 80	36°	₹1415



CAC103/105

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC103	7W	56	62 x 64	36°	₹1130
CAC105	12W	76	82 x 80	36°	₹1420



CAC102/106

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC102	7W	54	62 x 64	36°	₹1045
CAC106	12W	76	83 x 80	36°	₹1555



CAC103/106


Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC103RG	7W	54	62 x 62	42°	₹1195
CAC106RG	12W	76	82 x 80	42°	₹1635



CURIO cob lights

CAC111/113

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC111-BK	10W	82	90 x 88	36°	₹1140
CAC113-BK	18W	98	108 x 112	36°	₹1430



CAC112/114

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC112-WH	10W	82	90 x 88	36°	₹1140
CAC114-WH	18W	98	108 x 112	36°	₹1430



CAC121/122/123

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC121	7W	62	70 x 57	36°	₹1095
CAC122	12W	70	85 x 65	36°	₹1215
CAC123	20W	84	97 x 90	36°	₹1895



CAC132

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC132BR	15W	76	85 x 77	36°	₹1715
CAC132BS	15W	76	85 x 77	36°	₹1715



CAC143

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC143	15W	73	83 x 75	42°	₹1170



CAC601/602/603

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC601	7W	54	63 x 63	36°	₹750
CAC602	12W	67	76 x 76	36°	₹940
CAC603	18W	72	81 x 92	36°	₹1140



*AVAILABLE BODY COLOURS : BLACK & WHITE

CAC611/612/613

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CAC611	7W	54	63 x 63	36°	₹825
CAC612	12W	67	76 x 76	36°	₹1010
CAC613	18W	72	81 x 92	36°	₹1210



*AVAILABLE BODY COLOURS : BLACK & WHITE

*AVAILABLE REFLECTOR COLOURS : GOLD , BLACK , ROSE GOLD & SILVER

CAC651/652/653

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CACW651	7W	60	70 x 50	42°	₹870
CACW652	12W	75	85 x 65	42°	₹1130
CACW653	15W	85	95 x 75	42°	₹1415



*AVAILABLE REFLECTOR COLOURS : BLACK , WHITE , ROSE GOLD & SILVER

CACB651/652/653

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
CACB651	7W	60	70 x 50	42°	₹870
CACB652	12W	75	85 x 65	42°	₹1130
CACB653	15W	85	95 x 75	42°	₹1415



*AVAILABLE REFLECTOR COLOURS : BLACK , WHITE , ROSE GOLD & SILVER

HLD cob lights

HLD101/103

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD101	20W	155 x 80	160 x 85 x 42	24°	₹4635
HLD103	30W	192 x 98	197 x 103 x 46	24°	₹7225



HLD121

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD121	30W	157 x 74	167 x 84 x 68	36°	₹3260



HLD151

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD151	10W	77	87 x 110	36°	₹2470



HLD181/182

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD181	10W	74	84 x 75	36°	₹1225
HLD182	18W	93	105 x 89	36°	₹1590



HLD201/202/203

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD201	10W	53	65 x 52	36°	₹1375
HLD202	15W	74	84 x 63	32°	₹1675
HLD203	20W	92	105 x 77	36°	₹2240



HLD311/312/313/314

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD311	7W	35	44 x 38	24°	₹1165
HLD312	10W	50	60 x 50	24°	₹1705
HLD313	15W	62	74 x 66	24°	₹2215
HLD314	20W	75	84 x 75	24°	₹2700



HLD411

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD411	12W	73	87 x 54	60°	₹1265



HLD412

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD412	15W	92	108 x 65	60°	₹1575



HLD413

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD413	20W	117	135 x 65	60°	₹2125



HLD500/501

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD500	3W	35	40 x 80	15°	₹1375
HLD501	7W	45	50 x 100	24°	₹1780



HLD cob lights

HLD510/511

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD510	7W	55	63 x 75	24°	₹1250
HLD511	10W	76	85 x 93	24°	₹1535



HLD515/516/517

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD515	10W	72	82 x 54	60°	₹1340
HLD516	12W	86	96 x 59	60°	₹1575
HLD517	15W	96	106 x 62	60°	₹2005



HLD520

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD520	7W	58	63 x 63 x 74	36°	₹1310



HLD531/532/533

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD531	7W	55	63 x 60	36°	₹1180
HLD532	10W	75	83 x 76	36°	₹1355
HLD533	18W	93	105 x 92	36°	₹2235



HLD611/612/613

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD611	7W	54	63 x 63	36°	₹880
HLD612	12W	67	76 x 76	36°	₹1065
HLD613	18W	72	81 x 92	36°	₹1365



*AVAILABLE BODY COLOURS : BLACK & WHITE

*AVAILABLE REFLECTOR COLOURS : GOLD , BLACK , ROSE GOLD & SILVER

HLD670/671/672

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD670	7W	54	64 x 87	36°	₹1070
HLD671	12W	74	84 x 90	36°	₹1195
HLD672	18W	74	84 x 110	36°	₹1815



HLD801/802/803

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD801	7W	55	64 x 88	36°	₹1150
HLD802	12W	75	84 x 110	36°	₹1340
HLD803	18W	95	105 x 110	36°	₹2265



*Reflectors



*5 Years Warranty

HLD811/812/813

Code	Wattage	Cut-out	Dimension	MRP	CCT
HLD811EB7	7W	50	61 x 79	₹1355	₹2990
HLD812EB12	12W	72	83 x 90	₹1675	₹3380
HLD813EB18	18W	90	106 x 107	₹2315	₹5265



HLDIP831/832/833

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLDIP8317	7W	53	63 x 70	36°	₹1195
HLDIP83212	12W	74	85 x 72	36°	₹1410
HLDIP83318	18W	92	104 x 84	36°	₹2110



HLD902/903

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLD902	10W	94 x 43	98 x 50 x 88	42°	₹2345
HLD903	15W	133 x 43	138 x 50 x 88	42°	₹3385



HLD cob lights

HLDRS701/704

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLDRS701	15W	72	85 x 63	42°	₹1830
HLDRS704	10W	55	65 x 49	42°	₹1480



HLDRS702/705

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLDRS702	15W	72	85 x 70	42°	₹1780
HLDRS705	10W	55	65 x 57	42°	₹1370



HLDRS703/706

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLDRS703	15W	72	85 x 85 x 68	42°	₹1900
HLDRS706	10W	55	65 x 65 x 57	42°	₹1370



HLD191

Code	Wattage	Dimension	Beam angle	MRP
HLD191	10W	86 x 100	36°	₹2790



HLD192

Wattage : 8W
Cut-out : 85 x 104
Beam angle : 24°
MRP : ₹2840



HLD212

Wattage : 12W
Cut-out : 80 x 80 x 112
Beam angle : 24°
MRP : ₹2590



HLD211

Wattage : 12W
Cut-out : 78 x 112
Beam angle : 30°
MRP : ₹2330



LSQ

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
LSQ13	3W	34 x 34	45 x 45 x 50	36°	₹700
LSQ25	5W	65 x 34	75 x 45 x 50	36°	₹995
LSQ510	10W	137 x 34	147 x 45 x 50	36°	₹1495



HLSQR

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLSQR14	4W	44 x 44	54 x 54 x 52	24°	₹810
HLSQR420	20W	82 x 82	92 x 92 x 52	24°	₹1995
HLSQR940	40W	120 x 120	130 x 130 x 52	24°	₹3400



HLSQL

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
HLSQL14	4W	44 x 44	54 x 54 x 52	18°	₹810
HLSQL420	20W	82 x 82	92 x 92 x 52	18°	₹1995
HLSQL940	40W	120 x 120	130 x 130 x 52	18°	₹3400



ZOOM cob lights

LCZ15R/2



Wattage : 15W
Cut-out : 102
Dimension : 110 x 72
Beam angle : 24°
MRP : ₹1880

LCZ25/R



Wattage : 25W
Cut-out : 125
Dimension : 140 x 70
Beam angle : 24°
MRP : ₹3360

LCZ25R/5



Wattage : 25W
Cut-out : 148
Dimension : 172 x 102
Beam angle : 42°
MRP : ₹4025

LCZ30R/1



Wattage : 30W
Cut-out : 130
Dimension : 155 x 130
Beam angle : 32°
MRP : ₹4445

LCZ30R/2



Wattage : 30W
Cut-out : 160
Dimension : 180 x 90
Beam angle : 24°
MRP : ₹9150

LCZ50R



Wattage : 50W
Cut-out : 145
Dimension : 155 x 165
Beam angle : 36°
MRP : ₹5440

LCZ30R/3




Wattage : 30W
Cut-out : 130
Dimension : 155 x 125
Beam angle : 24°
MRP : ₹3180



SURFACE cob lights

LCSA/B/C

Code	Wattage	Dimension	Beam angle	MRP
LCSA2	2W	65 x 36 x 55	36°	₹945
LCSB5	5W	138 x 36 x 55	36°	₹1155
LCSC4	4W	70 x 70 x 58	36°	₹1315



LCS8Q/5

Code	Wattage	Dimension	Beam angle	MRP
LCS8Q/5	8W	90 x 90 x 35	36°	₹940



LCSB10/20/30

Code	Wattage	Dimension	Beam angle	MRP
LCS10/8	10W	50 x 125	36°	₹1340
LCS20/8	20W	60 x 155	36°	₹1845
LCS30/8	30W	80 x 165	36°	₹2860



LCSW10/20/30

Code	Wattage	Dimension	Beam angle	MRP
LCSW10/8	10W	50 x 125	36°	₹1340
LCSW20/8	20W	60 x 155	36°	₹1845
LCSW30/8	30W	80 x 165	36°	₹2860



LCSB 7/2 / 12/2 / 18/2

Code	Wattage	Dimension	Beam angle	MRP
LCSB7/2	7W	55 x 75	36°	₹960
LCSB12/2	12W	75 x 90	36°	₹1310
LCSB18/2	18W	95 x 100	36°	₹1835



*AVAILABLE REFLECTORS : WH/RG/GB/CS

LCSW 7/2 / 12/2 / 18/2

Code	Wattage	Dimension	Beam angle	MRP
LCSW7/2	7W	55 x 75	36°	₹960
LCSW12/2	12W	75 x 90	36°	₹1310
LCSW18/2	18W	95 x 100	36°	₹1835



*AVAILABLE REFLECTORS : WH/RG/GB/CS

LCSB 7/5 / 12/5 / 18/5

Code	Wattage	Dimension	Beam angle	MRP
LCSB7/5	7W	62 x 70	36°	₹885
LCSB12/5	12W	76 x 85	36°	₹1130
LCSB18/5	18W	86 x 100	36°	₹1585



*AVAILABLE REFLECTORS : WH/RG/GB/CS

LCSW 7/5 / 12/5 / 18/5

Code	Wattage	Dimension	Beam angle	MRP
LCSW7/5	7W	62 x 70	36°	₹885
LCSW12/5	12W	76 x 85	36°	₹1130
LCSW18/5	18W	86 x 100	36°	₹1585



*AVAILABLE REFLECTORS : WH/RG/GB/CS

LCS12Q/7

Code	Wattage	Dimension	Beam angle	MRP
LCS12Q/7	12W	90 x 90 x 87	42°	₹1570



SURFACE cob lights

Hanging lights

LCH10R/8/20R/8/30R/8

Code	Wattage	Dimension	Beam angle	MRP
LCH10R/8	10W	50 x 125	36°	₹1590
LCH20R/8	20W	60 x 155	36°	₹2280
LCH30R/8	30W	80 x 165	36°	₹3475



DOWN lights

X3

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
X35	5W	58	82 x 53	120°	₹595
X39	9W	85	100 x 52	120°	₹600
X312	12W	100	125 x 50	120°	₹710
X315	15W	120	150 x 50	120°	₹820
X320	20W	157	177 x 67	120°	₹1140
X325	25W	157	177 x 67	120°	₹1370



Y3

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
Y35	5W	60 x 60	75 x 75 x 52	120°	₹610
Y39	9W	85 x 85	105 x 105 x 53	120°	₹625
Y312	12W	110 x 110	132 x 132 x 50	120°	₹785
Y315	15W	135 x 135	155 x 155 x 52	120°	₹845
Y320	20W	153	177 x 177 x 67	120°	₹1170




X6

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
X615	15W	155	190 x 70	120°	₹1995
X620	20W	155	190 x 70	120°	₹2000
X625	25W	155	190 x 70	120°	₹2255
X630	30W	155	190 x 70	120°	₹2400



X81/X81CLR

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
X81	1W	55	63 x 30	36°	₹470
X81 CLR	1W	55	63 x 30	36°	₹510



DL01

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
DL018	8W	58	82 x 53	120°	₹475
DL0112	12W	85	100 x 52	120°	₹565
DL0116	16W	100	125 x 50	120°	₹765
DL0124	24W	120	150 x 50	120°	₹870
DL0130	30W	157	177 x 67	120°	₹1355
DL0136	36W	157	177 x 67	120°	₹1365



DL02

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
DL028	8W	60 x 60	75 x 75 x 52	120°	₹495
DL0212	12W	85 x 85	105 x 105 x 53	120°	₹565
DL0216	16W	110 x 110	132 x 132 x 50	120°	₹820
DL0224	24W	135 x 135	155 x 155 x 52	120°	₹920
DL0230	30W	153 x 153	177 x 177 x 67	120°	₹1355
DL0236	36W	153 x 153	177 x 177 x 67	120°	₹1365



DL11 (DOB)

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
DL117	7W	70	95 x 35	120°	₹225
DL1115	15W	106	130 x 35	120°	₹375
DL1125	25W	140	160 x 30	120°	₹565



*PC BODY

LEL ROUND

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
LEL3R/4	3W	75	90 x 10	120°	₹335
LEL6R/4	6W	100	120 x 15	120°	₹525
LEL9R/5	9W	130	145 x 15	120°	₹530
LEL12R/4	12W	160	172 x 20	120°	₹540
LEL15R/4	15W	160	172 x 20	120°	₹565
LEL18R/4	18W	210	225 x 20	120°	₹775



LEL SQUARE

Code	Wattage	Cut-out	Dimension	Beam angle	MRP
LEL3Q/4	3W	75 x 75	90 x 90 x 10	120°	₹385
LEL6Q/4	6W	100 x 100	120 x 120 x 15	120°	₹520
LEL12Q/4	12W	160 x 160	170 x 170 x 20	120°	₹570
LEL15Q/4	15W	160 x 160	170 x 170 x 20	120°	₹575
LEL18Q/4	18W	210 x 210	225 x 225 x 20	120°	₹780



DOME lights

XDES

Code	Wattage	Dimension	Beam angle	MRP
XDES6	6W	118 x 32	120°	₹575
XDES12	12W	166 x 32	120°	₹685
XDES15	15W	166 x 32	120°	₹720
XDES18	18W	221 x 32	120°	₹960
XDES24	24W	300 x 32	120°	₹1275



XDESB

Code	Wattage	Dimension	Beam angle	MRP
XDESB6	6W	118 x 32	120°	₹575
XDESB12	12W	166 x 32	120°	₹685
XDESB15	15W	166 x 32	120°	₹720
XDESB18	18W	221 x 32	120°	₹960
XDESB24	24W	300 x 32	120°	₹1275



YDES

Code	Wattage	Dimension	Beam angle	MRP
YDES6	6W	118 x 118 x 32	120°	₹615
YDES12	12W	166 x 166 x 32	120°	₹775
YDES18	18W	223 x 223 x 32	120°	₹1045
YDES24	24W	300 x 300 x 32	120°	₹1450



YDESB

Code	Wattage	Dimension	Beam angle	MRP
YDESB6	6W	118 x 118 x 32	120°	₹615
YDESB12	12W	166 x 166 x 32	120°	₹775
YDESB18	18W	223 x 223 x 32	120°	₹1045
YDESB24	24W	300 x 300 x 32	120°	₹1450



XDESSOF

Wattage : 12W
Dimension : 166 x 32
MRP : ₹935



 Motion Sensor



PROFILE lights

PROFILE lights

PPRSW177



Cut-out : 18
Dimension : 24 x 7
Diffuser : Polycarbonate
MRP : ₹70

PPRBB177



Cut-out : 18
Dimension : 24 x 7
Diffuser : Polycarbonate
MRP : ₹85

APPR7



Cut-out : 7
Dimension : 12 x 9
Diffuser : Polycarbonate
MRP : ₹145

APPR118



Cut-out : 11
Dimension : 18 x 10
Diffuser : Polycarbonate
MRP : ₹160

APPR205



Cut-out : 17
Dimension : 24 x 6
Diffuser : Polycarbonate
MRP : ₹145

APPR2414



Cut-out : 16
Dimension : 24 x 14
Diffuser : Polycarbonate
MRP : ₹270

APPR3535



Cut-out : 35
Dimension : 45 x 35
Diffuser : Polycarbonate
MRP : ₹885

APPR3512



Cut-out : 35
Dimension : 45 x 12
Diffuser : Polycarbonate
MRP : ₹460

APPR5575



Cut-out : 55
Dimension : 70 x 75
Diffuser : Polycarbonate
MRP : ₹1360

PPIGSW2111



Cut-out : 22.5
Dimension : 27 x 11
Diffuser : Polycarbonate
MRP : ₹475

PPRIGSW2126



Cut-out : 22
Dimension : 21 x 26
Diffuser : Polycarbonate
MRP : ₹720

PPSKGW1450



Dimension : 14 x 50
Diffuser : Polycarbonate
MRP : ₹660

PPGLGW117



Dimension : 11 x 7
Diffuser : Polycarbonate
MRP : ₹220

PPPSW3626



Dimension : 36 x 26
Diffuser : Polycarbonate
MRP : ₹690

PPSSW177



Dimension : 17 x 7
Diffuser : Polycarbonate
MRP : ₹70

PROFILE lights

PPCPSW1616




Dimension : 16 x 16
Diffuser : Polycarbonate
MRP : ₹135

APPS3535



Dimension : 35 x 35
Diffuser : Polycarbonate
MRP : ₹950

APPS5575



Dimension : 55 x 75
Diffuser : Polycarbonate
MRP : ₹1335



LED STRIP lights

SLC12510

Wattage : 10W
Voltage : 12V
Cut-Out : 5mm
LED's per mtr : 400
Color : WW / W
MRP : ₹460



SLC12810

Wattage : 10W
Voltage : 12V
Cut-Out : 8mm
LED's per mtr : 320
Color : WW / W
MRP : ₹280



WAVE2835CCT

Wattage : 10W
Voltage : 24V
Cut-Out : 8mm
Color : CCT
MRP : ₹670




WAVERGBCCT

Wattage : 15W
Voltage : 24V
Cut-Out : 10mm
Color : RGB
MRP : ₹740



SL5283512120

Wattage : 7W
Voltage : 12V
Cut-Out : 5mm
LED's per mtr : 120
Color : WW/MW/W
MRP : ₹190



SL5283512180

Wattage : 10W
Voltage : 12V
Cut-Out : 5mm
LED's per mtr : 180
Color : WW / MW
MRP : ₹320



SL283524CCT

Wattage : 12 + 12W
Voltage : 24V
Cut-Out : 5mm
LED's per mtr : 216
Color : CCT
MRP : ₹470



SL283524192T

Wattage : 12W
Voltage : 12V
Cut-Out : 8mm
LED's per mtr : 192
Color : CCT
MRP : ₹410



SL28352472RGBWW

Wattage : 10W / mtr
Voltage : 12V
Cut-Out : 8mm
LED's per mtr : 72
Color : RGB, WW
MRP : ₹450



SL283524240

Wattage : 18W
Voltage : 24V
Cut-Out : 8mm
LED's per mtr : 240
Color : WW
MRP : ₹175



SLE122835240

Wattage : 18W / mtr
Voltage : 12V
Length : 5mtr
LED's per mtr : 240
Color : WW / W
MRP : ₹115



SLE13WW

Wattage : 5W
Length : 50mtr
Color : WW / MW / W
MRP : ₹99 per mtr

SLE13C

MRP : 125/-



*CONNECTOR

CONTROLLERS

LDSTDS



Colour : Single colour
MRP : ₹1475

LDSTDCCT



Colour : CCT
MRP : ₹1675

LDSTRGBWC



Colour : RGB
MRP : ₹3915

LCTDMCM2



Colour : CCT
MRP : ₹4225

LCTDRGBM3



Colour : RGB
MRP : ₹4335

WAVECCTRM



Colour : CCT
MRP : ₹1485

WAVEBGRM



Colour : RGB
MRP : ₹675

Remote

BMIR



Device : REMOTE
Colour : RGB
MRP : ₹1280



DRIVERS

CV DRIVERS

Code	Wattage	Voltage	Current	MRP
CV125	60W	12V	5A	₹460
CV1210	120W	12V	10A	₹615
CV1216.6	200W	12V	16.6A	₹940
CV2445	45W	24V	1.87A	₹815
CV2460	60W	24V	2.5A	₹1030
CV24100	100W	24V	4.2A	₹1405
CV24200	200W	24V	8.33A	₹1685



CVH DRIVERS

Code	Wattage	Voltage	MRP
CVH1245	45W	12V	₹925
CVH1260	60W	12V	₹1115
CVH12100	100W	12V	₹3850
CVH12150	150W	12V	₹4970



CC DRIVERS

OUTDOOR/HC

Code	Wattage	Voltage	Current	MRP
FLD10	10W	36V	250mA	₹270
FLD20	20W	36V	500mA	₹310
FLD25	25W	36V	600mA	₹310
FLD30	30W	36V	750mA	₹420
FLD35	35W	36V	900mA	₹420
FLD40	40W	36V	1000mA	₹490
FLD45	45W	36V	1100mA	₹490
FLD50	50W	36V	1200mA	₹530
FLD60	60W	36V	1500mA	₹570



*HIGH CUTOFF DRIVER

OUTDOOR/HLC

Code	Wattage	Voltage	Current	MRP
FLD40	40W	36V	1000mA	₹830
FLD45	45W	36V	1100mA	₹840
FLD50	50W	36V	1250mA	₹850



*HIGH LOW CUTOFF DRIVER

INDOOR

Code	Wattage	Voltage	Current	MRP
FMILD13	1-3W	36V	150-350mA	₹155
FMILD47	4-7W	36V	150-350mA	₹230
FMILD812	8-12W	36V	150-350mA	₹270
FMILD1218	12-18W	36V	300-500mA	₹290
FMILD20	20W	36V	300-500mA	₹295
FMILD25	25W	36V	400-600mA	₹295
FMILD30	30W	36V	500-800mA	₹420
FMILD35	35W	36V	600-900mA	₹420
FMILD40	40W	36V	900-1200mA	₹515
FMILD45	45W	36V	900-1200mA	₹515



SURGE

Code	Voltage	MRP
5KV	5KV	₹125
10KV	10KV	₹145
20KV	20KV	₹820



NEON lights

NEON LED STRIP lights

SLN12612P



Dimension : 6 x 12mm
Voltage : 12V
Color : Pink
MRP : ₹495 per mtr

SLN12612O



Dimension : 6 x 12mm
Voltage : 12V
Color : Orange
MRP : ₹495 per mtr

SLN12612IB



Dimension : 6 x 12mm
Voltage : 12V
Color : Ice Blue
MRP : ₹495 per mtr

SLN12612R



Dimension : 6 x 12mm
Voltage : 12V
Color : Red
MRP : ₹495 per mtr

SLN12612LY



Dimension : 6 x 12mm
Voltage : 12V
Color : Lemon Yellow
MRP : ₹495 per mtr

SLN12612PU



Dimension : 6 x 12mm
Voltage : 12V
Color : Purple
MRP : ₹495 per mtr

SLN12612G



Dimension : 6 x 12mm
Voltage : 12V
Color : Green
MRP : ₹495 per mtr

SLN12816WW



Dimension : 8 x 16mm
Voltage : 12V
Color : Warm White
MRP : ₹760 per mtr

SLN12816P



Dimension : 8 x 16mm
Voltage : 12V
Color : Pink
MRP : ₹760 per mtr

SLN12816B



Dimension : 8 x 16mm
Voltage : 12V
Color : Blue
MRP : ₹760 per mtr

SLN12816O



Dimension : 8 x 16mm
Voltage : 12V
Color : Orange
MRP : ₹760 per mtr

SLN242020WW



Dimension : 20 x 20mm
Voltage : 24V
Color : Warm White
MRP : ₹980 per mtr

SLN241212WW



Dimension : 12 x 12mm
Voltage : 24V
Color : Warm White
MRP : ₹520 per mtr

SLN241212P



Dimension : 12 x 12mm
Voltage : 24V
Color : Pink
MRP : ₹575 per mtr

SLN241212O



Dimension : 12 x 12mm
Voltage : 24V
Color : Orange
MRP : ₹575 per mtr

NEON LED STRIP lights

SLN241212IB



Dimension : 12 x 12mm
Voltage : 24V
Color : Ice Blue
MRP : ₹575 per mtr

SLNE12612MW



Color : Mid White
MRP : ₹150 per mtr

SLNE12612WW



Color : Warm White
MRP : ₹150 per mtr

SLNE12612LMY



Color : Lemon Yellow
MRP : ₹150 per mtr

SLNE12612OR



Color : Orange
MRP : ₹150 per mtr

SLNE12612IB




Color : Ice Blue
MRP : ₹150 per mtr

SLNE12612G



Color : Green
MRP : ₹150 per mtr

SLNE12612P



Color : Pink
MRP : ₹150 per mtr

SLNE12612PP



Color : Purple
MRP : ₹150 per mtr

Aluminium Profile

SLNE12612Y



Color : Yellow
MRP : ₹150 per mtr

APSLN2020



Dimension : 20 x 20 mm
Length : 1 mtr
MRP : ₹435 per mtr

APSLN1212



Dimension : 12 x 12 mm
Length : 1 mtr
MRP : ₹225 per mtr

APSLN612



Dimension : 02 x 12 mm
Length : 1 mtr
MRP : ₹160 per mtr

APSLN816



Dimension : 08 x 16 mm
Length : 1 mtr
MRP : ₹190 per mtr

Accessories

NEON LED STRIP lights

SLNC2020



Description : Connector
Dimension : 20 x 20 mm
MRP : ₹25

SLNC1212



Description : Connector
Dimension : 12 x 12 mm
MRP : ₹15

SLNC612



Description : Connector
Dimension : 06 x 12 mm
MRP : ₹15

SLNC816



Description : Connector
Dimension : 08 x 16 mm
MRP : ₹30

SLNE612C



Description : Connector
MRP : ₹60

SLL241710A



Description : YY-184 824 V
Voltage : 24V
CCT : 2000K
MRP : ₹1630 per mtr

SLL24171027



Description : YY-184 824 V
Voltage : 24V
CCT : 2700K
MRP : ₹1630 per mtr

SLIP241648A



Wattage : 18W
Voltage : 24V
CCT : 2000K
MRP : ₹1075 per mtr

SLIPC241648



Description : Connector
MRP : ₹25

SLIPL241648




Description : Clamp
MRP : ₹5

SLIPK241648



Description : Keel
MRP : ₹210



VINTAGE lights

VINTAGE lights

FB01WW



Wattage : 4W
Dia : 35mm (C35)
Holder : E14
Cct : 2700K
MRP : ₹110

FB02WW



Wattage : 4W
Dia : 35mm (C35L)
Holder : E14
Cct : 2700K
MRP : ₹110

FB03WW



Wattage : 4W
Dia : 45mm (G45)
Holder : E27
Cct : 2700K
MRP : ₹110

FB04WW



Wattage : 4W
Dia : 45mm (ST45)
Holder : E27
Cct : 2700K
MRP : ₹145

FB05WW



Wattage : 4W
Dia : 95mm (G95)
Holder : E27
Cct : 2700K
MRP : ₹255

FB06WW



Wattage : 4W
Dia : 125mm (G45)
Holder : E27
Cct : 2700K
MRP : ₹375

FB07A



Wattage : 3W
Dia x Height : 125 x 175mm
Holder : E27
Cct : Amber
MRP : ₹905

FB08A



Wattage : 3W
Dia x Height : 120 x 220mm
Holder : E27
Cct : Amber
MRP : ₹1035

FB09A



Wattage : 3W
Dia x Height : 125 x 175mm
Holder : E27
Cct : Amber
MRP : ₹1035

FB10A



Wattage : 5W
Dia x Height : 200 x 260mm
Holder : E27
Cct : Amber
MRP : ₹2785

FB11A



Wattage : 5W
Dia x Height : 130 x 300mm
Holder : E27
Cct : Amber
MRP : ₹2590

FB12A



Wattage : 5W
Dia x Height : 175 x 300mm
Holder : E27
Cct : Amber
MRP : ₹2980

FB13A



Wattage : 5W
Dia x Height : 98 x 300mm
Holder : E27
Cct : Amber
MRP : ₹2075

FB14A



Wattage : 5W
Dia x Height : 170 x 300mm
Holder : E27
Cct : Amber
MRP : ₹2590

FB15A



Wattage : 5W
Dia : 70 x 300mm
Holder : E27
Cct : Amber
MRP : ₹2075

VINTAGE lights

FB16A



Wattage : 6W
Dia : 125mm
Holder : E27
Cct : 2700K
MRP : ₹1620

FB17A



Wattage : 6W
Dia : 120mm
Holder : E27
Cct : 2700K
MRP : ₹1620

FB18A



Wattage : 6W
Dia : 140mm
Holder : E27
Cct : 2700K
MRP : ₹1620

Accessories

FBAHWE27



Detail : Wire hanging
Holder : E27
Length : 1 mtr
MRP : ₹420

FBAHRE27



Detail : Rope hanging
Holder : E27
Length : 1 mtr
MRP : ₹420

FBTL0.5 / 1



Detail : Track fixing
Color : White
Length : 0.5 mtr / 1mtr
MRP : ₹615 / ₹780

FBR5WW



Wattage : 5W
Holder : E27
Cct : Warm White, Pink & Blue
MRP : ₹430

FBH5WW



Wattage : 5W
Holder : E27
Cct : Warm White, Pink & Blue
MRP : ₹430

FBS5WW



Wattage : 5W
Holder : E27
Cct : Warm White, Pink & Blue
MRP : ₹430

LB2RGB



Wattage : 2W
Color : RGB
MRP : ₹100

LB2 COLORS



Wattage : 2W
Color : Colors
MRP : ₹50

*Available Colors : BLUE, GREEN, RED, YELLOW, PURPLE, ORANGE & PINK

LBBCPB



Length : 5W
Color : Black
MRP : ₹4520



TRACK lights

TRACK lights

Code	Wattage	Dimension	Beam angle	MRP
TSR10/8	10W	133 x 50 x 165	24°, 36°	₹1370
TSR20/8	20W	156 x 60 x 205	24°, 36°	₹1850
TSR30/8	30W	174 x 80 x 220	24°, 36°	₹2570

Code	Fitting type	Size	MRP
TR1	Track	1 mtr	₹635
TR2	Track	2 mtr	₹1530

**BODY COLOUR : WHITE & BLACK*



Rail magnetic surface track lights

MRT6/12/18LMW

Wattage : 6 / 12 / 18W
Dimension : 122 / 230 / 338 x 26 x 24
Beam angle : 24°
MRP : ₹1870, ₹2270, ₹2630

MRTZ6/12 MW

Wattage : 6 / 12W
Dimension : 230 x 26 x 80 / 615 x 26 x 80
Beam angle : 24°
MRP : ₹3050, ₹3810

MRT3R6MW

Wattage : 6W
Dimension : 122 x 26 x 55
Beam angle : 24°
MRP : ₹3110

MRT30010/60020FLMW

Wattage : 10W / 20W
Dimension : 315 x 26 x 24 / 615 x 26 x 24
Beam angle : 120°
MRP : ₹2270, ₹2840

MRTZ10FLMW

Wattage : 10W
Dimension : 230 x 26 x 80
Beam angle : 120°
MRP : ₹3735

MRT1R6MW

Wattage : 6W
Dimension : 80 x 75
Beam angle : 24°
MRP : ₹3180

MRTH300C6MW

Wattage : 6W
Dimension : 30 x 300
Beam angle : 24°
MRP : ₹3285

MRT1C9MW

Wattage : 9W
Dimension : 44 x 112
Beam angle : 24°
MRP : ₹2950

MRT2C9MW

Wattage : 2 x 9W
Dimension : 44 x 112
Beam angle : 24°
MRP : ₹6050

MRTDF9MW

Wattage : 9W
Dimension : 95 x 40
Beam angle : 120°
MRP : ₹3215

MRTB100F6MW

Wattage : 6W
Dimension : 100 x 100
Beam angle : 120°
MRP : ₹4720

MRTHB100F6MW

Wattage : 10W
Dimension : 100 x 100
Beam angle : 120°
MRP : ₹4780

RAIL MAGNETIC SURFACE TRACK lights

MRTL600F20MW



Wattage : 20W
Dimension : 600 x 25 x 87
Beam angle : 120°
MRP : ₹3110

MRT1U16MW



Wattage : 16W
Dimension : 1000
Beam angle : 120°
MRP : ₹6650

MRT1TR/2TR



Length : 1mtr / 2mtr
Dimension : 26 x 6
MRP : ₹1270, ₹2130

ACCESSORIES

Code	MRTD100	MRTD200	MRTWB	MRTVTF	MRT90TF	MRTLTF	MRTTTF	MRTPTF
Dimension	210 x 26 x 24	230 x 26 x 24	100 x 26 x 29	26 x 26 x 26	36 x 36 x 6	46 x 26 x 6	46 x 36 x 6	46 x 46 x 6
MRP	₹4335	₹5080	₹380	₹635	₹635	₹570	₹700	₹820



Round magnetic surface track lights

MRR12/15GL6



Wattage : 6W
Dimension : 193 x 22 x 43 / 180 x 20 x 25
Beam angle : 24°
MRP : ₹1735

MRR12/15GL12



Wattage : 12W
Dimension : 375 x 22 x 43 / 350 x 22 x 43
Beam angle : 24°
MRP : ₹3090

MRR12/15FL8



Wattage : 8W
Dimension : 193 x 22 x 43 / 180 x 22 x 43
Beam angle : 120°
MRP : ₹1735

MRR12/15FL16



Wattage : 16W
Dimension : 375 x 22 x 43 / 360 x 22 x 43
Beam angle : 120°
MRP : ₹3090

MRR15PS200



Wattage : 200W
Dimension : 260 x 20
MRP : ₹5440

*DRIVER

MRR12/15FGL6



Wattage : 6W
Dimension : 115 x 22 x 125 / 115 x 22 x 125
Beam angle : 24°
MRP : ₹2780

MRR12 /15 SP10



Wattage : 10W / 20W
Dimension : 47 dia x 182
Beam angle : 24°
MRP : ₹2780

MRR12SP3MW



Wattage : 3W
Dimension : 35 x 20 x 44
Beam angle : 24°
MRP : ₹985

MRRT1200/1500

Code	Dimension	MRP
MRRT1200	1200mm	₹15825
MRRT1500	1500mm	₹23250



RECESSED MAGNETIC track lights



HLMTFL12



Wattage : 12W
Dimension : 304 x 22 x 43
Beam angle : 120°
MRP : ₹1350

HLMTSP10/15/20

Code	Wattage	Dimension	MRP
HLMTSP10	10W	45 x 164	₹3150
HLMTSP15	15W	55 x 175	₹3925
HLMTSP20	20W	65 x 198	₹4830



HLMTGLA12/24

Code	Wattage	Dimension	MRP
HLMTGLA12	12W	45 x 164	₹2455
HLMTGLA24	24W	55 x 175	₹4045



HLMTGLB12



Wattage : 12W
Dimension : 138 x 25 x 107
Beam angle : 24°
MRP : ₹5485

*ADJUSTABLE

HLMTGLC12



Wattage : 12W
Dimension : 220 x 23 x 44
Beam angle : 24°
MRP : ₹1730

*NON ADJUSTABLE

HLMTR1



Dimension : 1 mtr
MRP : ₹2010

ACCESSORIES

Code	: HLMTDCM	HLMTCCM	HLMTRCH	HLMTRCV	HLMTCT	HLMTHA	HLMTAI	HLMTPS60	HLMTPS100
₹745	₹810	₹1545	₹1545	₹105	₹385	₹220	₹2175	₹3670	
DIRECT CONDUCTIVE MODULE	CORNER CONDUCTIVE MODULE	CONCEALED HORIZONTAL CORNER	CONCEALED VERTICAL CORNER	TRACK CONNECTING FITTING	HANGING ACCESSORIES	INSERTED ACCESSORIES	TRACK POWER SUPPLIES	TRACK POWER SUPPLIES	

MTL5X / 10 1/1



Wattage : 10W / 20W
Dimension : 138 x 102 x 35 / 276 x 102 x 35
Beam angle : 24°
MRP : ₹2910

MTL20



Wattage : 20W
Dimension : 70 x 150
Beam angle : 24°
MRP : ₹4490

BULKHEAD lights

BULKHEAD & FACADE lights

LBH0508

Wattage : 8W
Dimension : 180 x 80
Beam angle : 120°
MRP : ₹1650



LBH0610

Wattage : 10W
Dimension : 190 x 30 x 70
Beam angle : 120°
MRP : ₹1305



LBH1010

Wattage : 10W
Dimension : 260 x 160
Beam angle : 120°
MRP : ₹850



FACADE lights

LBH1515

Code	Wattage	Dimension	Beam angle	MRP
LBH1515	15W	135 x 78 x 50	Batwing	₹925



FCR9/18/24/36

Code	Wattage	Dimension	Beam angle	MRP
FCR9	9W	130 x 85	36°	₹3030
FCR18	18W	180 x 100	36°	₹4010
FCR24	24W	230 x 110	36°	₹5790
FCR36	36W	230 x 110	36°	₹6695



FCR50/100

Code	Wattage	Dimension	Beam angle	MRP
FCR50	50W	290 x 235	36°	₹11330
FCR100	100W	290 x 235	36°	₹17310



FCR0140

Code	Wattage	Dimension	Beam angle	MRP
FCR0140	40W	157 x 110	36°	₹5325



Power Can Fittings

FCRX

Code	Wattage	Dimension	Beam angle	MRP
FCRX12	12W	145 x 72	24°	₹2035
FCRX18	18W	165 x 75	24°	₹2580
FCRX24	24W	195 x 82	24°	₹3300
FCRX36	36W	250 x 90	24°	₹4565
FCRX48	48W	300 x 100	24°	₹6800



PARM12RGB

Code	Wattage	Dimension	Beam angle	MRP
PARM12RGB	12W	154 x 47	24°	₹755



PAR6090 & PAR60120

Wattage : 90W, 120W
Dimension : 267 x 74, 270 x 222
Beam angle : 24°
MRP : ₹2390, 7240



PAR1840

Wattage : 40W
Dimension : 240 x 75
Beam angle : 24°
MRP : ₹4530



LPC36 & 72 RGB

Wattage : 36W, 72W
Dimension : 192 x 57, 270 x 222
Beam angle : 24°
MRP : ₹2420, 5775



WALL WASHER lights

WALLWASHER & FOOT lights

WWIPA

Code	Wattage	Dimension	Beam angle	MRP
WWIPA.166	6W	160 x 50 x 55	36°	₹1980
WWIPA.166RGB	6W	160 x 50 x 55	36°	₹2420
WWIPA.312	12W	300 x 50 x 55	36°	₹2615
WWIPA.320RGB	20W	300 x 50 x 55	36°	₹3495
WWIPA.518	18W	510 x 50 x 55	36°	₹3650
WWIPA.530RGB	30W	510 x 50 x 55	36°	₹5080
WWIPA136	36W	985 x 50 x 55	36°	₹6220
WWIPA150RGB	50W	985 x 50 x 55	36°	₹8680



WWIPAV

Code	Wattage	Dimension	Beam angle	MRP
WWIPAV.518W	18W	510 x 50 x 55	36°	₹3725
WWIPAV136W	36W	985 x 50 x 55	36°	₹6370



WWIPB

Code	Wattage	Dimension	Beam angle	MRP
WWIPB.1612	12W	160 x 70 x 75	36°	₹2720
WWIPB.1620RGB	20W	160 x 70 x 75	36°	₹3600
WWIPB.325	25W	300 x 70 x 75	36°	₹3955
WWIPB.330RGB	30W	300 x 70 x 75	36°	₹5280
WWIPB.536	36W	510 x 70 x 75	36°	₹5485
WWIPB.550RGB	50W	510 x 70 x 75	36°	₹7600
WWIPB170	70W	985 x 70 x 75	36°	₹9975
WWIPB1100	100W	985 x 70 x 75	36°	₹10760



WWIPBV

Code	Wattage	Dimension	Beam angle	MRP
WWIPBV.536W	36W	510 x 70 x 75	36°	₹5560
WWIPBV172W	72W	985 x 70 x 75	36°	₹10125



FOOT lights

FL001

Wattage : 3W
Cut-out : 130 x 60
Dimension : 137 x 88 x 66
MRP : ₹790



FLC2

Wattage : 2W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹720



FLD2

Wattage : 2W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹720



FLDS2

Wattage : 2W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹1250



FLE2WW

Wattage : 2W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹720



FLF2WW

Wattage : 2W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹720



FLGS3

Wattage : 3W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹1110



FLG3WW

Wattage : 3W
Cut-out : 66 x 66
Dimension : 84 x 84 x 46
MRP : ₹655



GARDEN lights

GARDEN lights

LG077



Wattage : 7W
Dimension : 70 x 145
Beam angle : 24°
MRP : ₹870

LG077B / LG077C



Wattage : 7W
Dimension : 70 x 145
Beam angle : 10° / 15°
MRP : ₹1115

LGA12



Wattage : 12W
Dimension : 70 x 145
Beam angle : 24°
MRP : ₹1030

LGA04

Code	Wattage	Dimension	Beam angle	MRP
LGA046	6W	135 x 65	15, 24, 36, 48 & 60°	₹2225
LGA04612	12W	135 x 65	15, 24, 36, 48 & 60°	₹2715
LGA0418	18W	160 x 95	15, 24, 36, 48 & 60°	₹3080



LGD07/12

Code	Wattage	Dimension	Beam angle	MRP
LGD07	7W	70 x 106	36°	₹2035
LGD12	12W	92 x 115	36°	₹2495



LGB07



Wattage : 7W
Dimension : 52 x 95
Beam angle : 36°
MRP : ₹1505

LGC3



Wattage : 3W
Dimension : 49 x 102 x 160
Beam angle : 36°
MRP : ₹1360

LGE20



Wattage : 20W
Dimension : 78 x 118
Beam angle : 36°
MRP : ₹3610

Ring landscape garden light

GATLC60



Wattage : 60W
Dimension : 490 x 185
Beam angle : 24°
MRP : ₹6960

Solar garden light


SOGLR150



Wattage : 150W
Dimension : 484 x 30
Beam angle : 120°
MRP : ₹9140



SOGLQ150



Wattage : 150W
Dimension : 357 x 357 x 30
Beam angle : 120°
MRP : ₹9680



SOBL4CCTRGB



Wattage : 4W
Dimension : 255 x 255 x 690
MRP : ₹4660

*RGB COLOURS AVAILABLE



GARDEN lights

SOSL4CTRGB

Wattage : 4W
Dimension : 245 x 800
MRP : ₹3630

*RGB COLOURS AVAILABLE



Gate light

GT0120

Wattage : 20W
Dimension : 277 x 277 x 322
MRP : ₹2125



Bollard light

GT0224

Wattage : 24W
Dimension : 162 x 362
MRP : ₹1630



*BULB EXTRA

GT0310

Wattage : 10W
Dimension : 330 x 420
MRP : ₹1005



*BULB EXTRA

PL1140

Wattage : 40W
Dimension : 75 x 75 x 1000
MRP : ₹5250



PL1L20

Wattage : 20W
Dimension : 75 x 75 x 1000
MRP : ₹4740



PL1T40

Wattage : 40W
Dimension : 75 x 75 x 1000
MRP : ₹6055



PL1Y40

Wattage : 40W
Dimension : 75 x 75 x 1000
MRP : ₹6570



PL1S20

Wattage : 20W
Dimension : 75 x 75 x 1000
MRP : ₹4740



BLA1010

Wattage : 10W
Dimension : 129 x 124 x 1005
MRP : ₹8045



BLB1010

Wattage : 10W
Dimension : 109 x 104 x 1005
MRP : ₹6895



BLC0810

Wattage : 10W
Dimension : 100 x 800
MRP : ₹8265



BLD0820

Wattage : 20W
Dimension : 166 x 800
MRP : ₹12290



GARDEN lights

BLE0312

Wattage : 12W
Dimension : 100 x 100 x 300
MRP : ₹5450



BLE0515

Wattage : 15W
Dimension : 100 x 100 x 500
MRP : ₹6065



BLE0820

Wattage : 20W
Dimension : 100 x 100 x 800
MRP : ₹7295



BLE3030

Wattage : 30W
Dimension : 100 x 100 x 3000
MRP : ₹9090



BLT110

Wattage : 10W
Dimension : 50 x 380
MRP : ₹6765



BLF3050

Wattage : 50W
Height : 3 mtr
MRP with pole : ₹23515
MRP without pole : ₹15590



Solar Bollard Light

SOSGC/8/W

Wattage : 8W
MRP : ₹8370



Pole light

PSTZ4

Wattage : 50W, 100W
Dimension : 80 x 80 x 4000
MRP : ₹30785, ₹32840



UNDERGROUND lights

UNDERGROUND & WALL lights

UGB3WW



Wattage : 3W
Dimension : 45 x 78
Beam angle : 24°
MRP : ₹1240

UGA5WW




Wattage : 5W
Dimension : 60 x 83
Beam angle : 24°
MRP : ₹1770

UGC3WW



Wattage : 3W
Dimension : 60 x 80
MRP : ₹1525

UGD3WW



Wattage : 3W
Dimension : 60 x 60 x 80
MRP : ₹1595

UGG3



Wattage : 3W
Dimension : 61 x 100
MRP : ₹2505

UGF6



Wattage : 6W
Dimension : 74 x 106
MRP : ₹955

UGE2



Wattage : 2W
Dimension : 41 x 47
MRP : ₹470

UGH12



Wattage : 12W
Dimension : 150 x 89
MRP : ₹1860

WALL lights

LWL612



Wattage : 12W
Dimension : 170 x 80 x 40
MRP : ₹1365

WLAB4



Wattage : 4W
Dimension : 64 x 64 x 31
MRP : ₹1315

WLBAL8



Wattage : 8W
Dimension : 70 x 70 x 52
MRP : ₹1290

KWL13/6

Code	Wattage	Dimension	MRP
KWL13	3W	72 x 78 x 63	₹485
KWL16	6W	72 x 78 x 63	₹545



KWL26/212

Code	Wattage	Dimension	MRP
KWL26	6W	143 x 80 x 62	₹795
KWL212	12W	143 x 80 x 62	₹880



WALL & TRICK lights

WLCB2



Wattage : 2W
Dimension : 53 x 40 x 41
MRP : ₹950

WLEW6



Wattage : 6W
Dimension : 182 x 100 x 35
MRP : ₹1410

WLFB6



Wattage : 6W
Dimension : 134 x 97 x 85
MRP : ₹1845

Solar Wall light

WLHB2



Wattage : 2W
Dimension : 44 x 35
MRP : ₹820

WLKB6



Wattage : 6W
Dimension : 115 x 104 x 52
MRP : ₹1275

SOWLA/3/W



Wattage : 3W
Dimension : 84 x 84 x 46
MRP : ₹1970



TRICK lights

LWLS1016




Wattage : 6W
Dimension : 120 x 70 x 75
MRP : ₹2940

LWLS10212



Wattage : 12W
Dimension : 120 x 160
MRP : ₹3955



FLAMEPROOF lights

FLAMEPROOF Lights

cleanroom light

FAFLPCR01

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
W11130	30W x 1	355 x 355 x 165	310 x 310	120°	₹11805
W11140	40W x 1	355 x 355 x 165	310 x 310	120°	₹11995
W11150	50W x 1	355 x 355 x 165	310 x 310	120°	₹12070
S11130	30W x 1	355 x 355 x 165	310 x 310	120°	₹11705
S11140	40W x 1	355 x 355 x 165	310 x 310	120°	₹11895
S11150	50W x 1	355 x 355 x 165	310 x 310	120°	₹11970




FAFLPCR01

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
W12130	30W x 1	330 x 620 x 165	285 x 572	120°	₹14120
W12140	40W x 1	330 x 620 x 165	285 x 572	120°	₹14205
W12150	50W x 1	330 x 620 x 165	285 x 572	120°	₹14385
W12260	30W x 2	330 x 620 x 165	285 x 572	120°	₹21510
W12280	40W x 2	330 x 620 x 165	285 x 572	120°	₹21685
W122100	50W x 2	330 x 620 x 165	285 x 572	120°	₹23950



FAFLPCR01

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
S12130	30W x 1	330 x 620 x 165	285 x 572	120°	₹14020
S12140	40W x 1	330 x 620 x 165	285 x 572	120°	₹14105
S12150	50W x 1	330 x 620 x 165	285 x 572	120°	₹14285
S12150 ONCO	50W x 1	330 x 620 x 165	285 x 572	120°	₹14815
S12260	30W x 2	330 x 620 x 165	285 x 572	120°	₹21410
S12280	40W x 2	330 x 620 x 165	285 x 572	120°	₹21585
S122100	50W x 2	330 x 620 x 165	285 x 572	120°	₹21940
S12260-ONCO	30W x 2	330 x 620 x 165	285 x 572	120°	₹23830
S12280-ONCO	40W x 2	330 x 620 x 165	285 x 572	120°	₹24170
S122100-ONCO	50W x 2	330 x 620 x 165	285 x 572	120°	₹24510



FAFLPCR01

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
W22130	30W x 1	620 x 620 x 165	580 x 580	120°	₹17805
W22140	40W x 1	620 x 620 x 165	580 x 580	120°	₹17895
W22150	50W x 1	620 x 620 x 165	580 x 580	120°	₹18070
S22130	30W x 2	620 x 620 x 165	580 x 580	120°	₹17705
S22140	40W x 2	620 x 620 x 165	580 x 580	120°	₹17795
S22150	50W x 2	620 x 620 x 165	580 x 580	120°	₹17970



Cleanroom casting

FAFLPCR01


Code	Wattage	Dimension	Cut-out	Beam angle	MRP
W22260	30W x 2	620 x 620 x 165	580 x 580	120°	₹25250
W22280	40W x 2	620 x 620 x 165	580 x 580	120°	₹25425
W222100	50W x 2	620 x 620 x 165	580 x 580	120°	₹25775
S22260	30W x 2	620 x 620 x 165	580 x 580	120°	₹25095
S22280	40W x 2	620 x 620 x 165	580 x 580	120°	₹25275
S222100	50W x 2	620 x 620 x 165	580 x 580	120°	₹25630



*S - With SS bottom frame
*W - With Powder coated bottom frame

FAFLPWP

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CRGC40	40W	625 x 330 x 140	585 x 290	120°	₹24660
CRGC50	50W	625 x 330 x 140	585 x 290	120°	₹25070
CRGC60	60W	625 x 330 x 140	585 x 290	120°	₹25480
CRGC80	80W	625 x 330 x 140	585 x 290	120°	₹26930
CRGC100	100W	625 x 330 x 140	585 x 290	120°	₹27235
CRGC70 ON-WH	35+35W	625 x 330 x 140	585 x 290	120°	₹ON REQUEST
CRGC100 ON-WH	50+50W	625 x 330 x 140	585 x 290	120°	₹ON REQUEST



FLP flood light

FAFLPWP

Code	Wattage	Dimension	Beam angle	MRP
FLGC40	40W	583 x 286 x 140	60°	₹23250
FLGC50	50W	583 x 286 x 140	60°	₹23635
FLGC60	60W	583 x 286 x 140	60°	₹24025
FLGC80	80W	583 x 286 x 140	60°	₹25475
FLGC100	100W	583 x 286 x 140	60°	₹25790



FAFLPFL01

Code	Wattage	Dimension	Beam angle	MRP
150	1 x 50W	234 x 234 x 130	120° & 60°	₹9700
260	2 x 30W	450 x 234 x 130	120° & 60°	₹17690
280	2 x 40W	450 x 234 x 130	120° & 60°	₹17875
2100	2 x 50W	450 x 234 x 130	120° & 60°	₹18250
3150	3 x 50W	664 x 234 x 130	120° & 60°	₹26960
4200	4 x 50W	450 x 450 x 130	120° & 60°	₹37505



FLP Street light

FAFLPST

Code	Wattage	Dimension	Beam angle	MRP
P01150	50W	450 x 240 x 130	Batwing	₹10100
P01260	60W	605 x 250 x 135	Batwing	₹17795
P01270	70W	605 x 250 x 135	Batwing	₹17980
P01280	80W	605 x 250 x 135	Batwing	₹18480
P012100	100W	605 x 250 x 135	Batwing	₹19115
B012100	100W	320 x 255 x 135	Batwing	₹20460



FAFLPWG02

Code	Wattage	Dimension	Beam angle	MRP
230	30W	195 x 155	120°	₹7520
240	40W	195 x 155	120°	₹7775
250	50W	195 x 155	120°	₹7955



wellglass light

FLAMEPROOF lights

FAFLPWG01

Code	Wattage	Dimension	Beam angle	MRP
30S	30W	255 X 165	120°	₹7360
40S	40W	255 X 165	120°	₹7845
50S	50W	255 X 165	120°	₹8145
60S	60W	255 X 165	120°	₹10505



Increased safety linear high bay

FAFLPWG01

Code	Wattage	Dimension	Beam angle	MRP
30L	30W	255 X 317	120°	₹10085
40L	40W	255 X 317	120°	₹10690



Reactor light

FAEXELH01 / EMFAFLPLH01

Code	Wattage	Dimension	Beam angle	MRP
.550	50W	500 x 127 x 105	120°	₹11275
1100	100W	1000 x 127 x 105	120°	₹19185
.540 (emergency)	40W	500 x 127 x 105	120°	₹27220



FAFLPRL01

Code	Wattage	Dimension	Beam angle	MRP
10	10W	192 x 276	60°	₹5465
20	20W	192 x 276	60°	₹5780
30	30W	192 x 276	60°	₹6200
40	40W	192 x 276	60°	₹6280
50	50W	192 x 276	60°	₹6440



10amp push button

Code : FLPPB
Dimension : 287 x 175 x 125
MRP : ₹4395



Push button

Code : FA/FLP/WP/01/01
Dimension : 115 x 115 x 110
MRP : ₹3370

Junction box

Code : FAFLPJB
Dimension : 138 x 138 x 77
MRP : ₹1345



FLOOD lights

FLOOD lights

FLJA

Code	Wattage	Dimension	Beam angle	MRP
FLJA20S	20W	135 x 115 x 35	120°	₹1035
FLJA30S	30W	184 x 154 x 45	120°	₹1595
FLJA50S	50W	224 x 190 x 42	120°	₹2065
FLJA100S	100W	285 x 240 x 60	120°	₹3650
FLJA150S	150W	338 x 295 x 85	120°	₹6245
FLJA200S	200W	426 x 326 x 86	120°	₹8825



*WITH LENS ON REQUEST

FLJB

Code	Wattage	Dimension	Beam angle	MRP
FLJB250S	250W	515 x 315 x 170	120°	₹12720
FLJB300S	300W	515 x 315 x 170	120°	₹13385



*WITH LENS ON REQUEST

FLJC

Code	Wattage	Dimension	Beam angle	MRP
FLJC50	50W	215 x 200 x 50	120°	₹1805
FLJC100	100W	263 x 237 x 53	120°	₹2510
FLJC150	150W	292 x 275 x 60	120°	₹3775
FLJC200	200W	323 x 323 x 55	120°	₹4805
FLJC300	300W	385 x 372 x 75	120°	₹7640
FLJC400	400W	520 x 520 x 70	120°	₹12765



*WITH LENS ON REQUEST

FLJD

Code	Wattage	Dimension	Beam angle	MRP
FLJD30	30W	190 x 148 x 35	60°	₹1880
FLJD50	50W	240 x 185 x 35	60°	₹2680
FLJD100	100W	305 x 245 x 35	60°	₹5060
FLJD150	150W	345 x 307 x 35	60°	₹6660
FLJD200	200W	456 x 306 x 38	60°	₹9280


FLJDAS

Code	Wattage	Dimension	Beam angle	MRP
FLJDAS50	50W	240 x 185 x 35	60°	₹3225
FLJDAS100	100W	305 x 245 x 35	60°	₹5665
FLJDAS150	150W	345 x 307 x 35	60°	₹7290
FLJDAS200	200W	456 x 306 x 38	60°	₹9830



*NIGHT SENSOR

FLJG

Code	Wattage	Dimension	Beam angle	MRP
FLJG50	50W	190 x 148 x 35	120°	₹2200
FLJG100	100W	240 x 185 x 35	120°	₹3520
FLJG150	150W	305 x 245 x 35	120°	₹5575


USLFL

Code	Wattage	Dimension	Beam angle	MRP
USLFL50	50W	273 x 80 x 40	120°	₹2020
USLFL100	100W	275 x 167 x 85	120°	₹4665
USLFL150	150W	275 x 250 x 85	120°	₹7575


FLJJ

Code	Wattage	Dimension	Beam angle	MRP
FLJJ50	50W	207 x 162 x 25	80°	₹1475
FLJJ100	100W	272 x 214 x 25	80°	₹2460
FLJJ150	150W	332 x 252 x 25	80°	₹3790
FLJJ200	200W	380 x 282 x 25	80°	₹4795
FLJJ300	300W	428 x 318 x 25	80°	₹7530
FLJJ400	400W	472 x 362 x 25	80°	₹10335


Solar Flood Light
SOFLA/60

Code	Wattage	Dimension	MRP
SOFLA/60/W	60W	272 x 200 x 60	₹4550



Code	Wattage	Dimension	MRP
SOFLB/60/SP/W (Light + Panel)	60W	272 x 200 x 60	₹5945


SOLAR

 400 x 350 x 15
 (Panel Dimension)

BAR & SPORTS FLOOD lights

BAR FLOOD lights

BRFL

Code	Module	Wattage	Dimension	Beam angle	MRP
BRFL100	1	100W	560 x 77 x 60	60°	₹4785
BRFL200	2	200W	560 x 156 x 60	60°	₹9450
BRFL300	3	300W	560 x 234 x 60	60°	₹15720
BRFL400	4	400W	560 x 312 x 60	60°	₹19970
BRFL500	5	500W	560 x 390 x 60	60°	₹26330



BRFFL

Code	Module	Wattage	Dimension	Beam angle	MRP
BRFL50	1	50W	280 x 77 x 60	60°	₹2430
BRFFL100	2	100W	280 x 156 x 60	60°	₹5905
BRFFL150	3	150W	280 x 234 x 60	60°	₹8140
BRFFL200	4	200W	280 x 312 x 60	60°	₹10715
BRFFL250	5	250W	280 x 390 x 60	60°	₹13770



BRFFLS5

Code	Module	Wattage	Dimension	Beam angle	MRP
BRFL50S5	1	50W	227 x 75 x 120	60°	₹2790
BRFFL100S5	2	100W	227 x 155 x 120	60°	₹6335
BRFFL150S5	3	150W	227 x 235 x 120	60°	₹8865
BRFFL200S5	4	200W	315 x 227 x 120	60°	₹11240
BRFFL250S5	5	250W	385 x 227 x 142	60°	₹14230



BRFLS5

Code	Wattage	Dimension	Beam angle	MRP
BRFL100S5	100W	560 x 77 x 60	60°	₹5890
BRFL200S5	200W	560 x 156 x 60	60°	₹11470
BRFL300S5	300W	560 x 234 x 60	60°	₹16640
BRFL400S5	400W	560 x 312 x 60	60°	₹21925
BRFL500S5	500W	560 x 390 x 60	60°	₹28890



SPORTS FLOOD lights

FFL

Code	Module	Wattage	Dimension	Beam angle	MRP
FFL50/2	1 x 50	50W	310 x 80 x 65	60°	₹3585
FFL100/2	2 x 50	100W	310 x 160 x 65	60°	₹7745
FFL150/2	3 x 50	150W	310 x 240 x 65	60°	₹11255
FFL200/2	4 x 50	200W	310 x 320 x 65	60°	₹15485
FFL250/2	5 x 50	250W	310 x 400 x 65	60°	₹18845
FFL300/2	3 x 100	300W	615 x 240 x 65	60°	₹23505
FFL400/2	4 x 100	400W	615 x 320 x 65	60°	₹30675
FFL500/2	5 x 100	500W	615 x 400 x 65	60°	₹40755
FFL600/2	6 x 100	600W	615 x 480 x 65	60°	₹48115
FFL800/2	8 x 100	800W	615 x 640 x 65	60°	₹62825
FFL1000/2	10 x 100	1000W	615 x 800 x 65	60°	₹74275



SFLSQL

Code	Wattage	Dimension	Beam angle	MRP
SFLSQL250	250W	200 x 290 x 215	50°	₹20335
SFLSQL500	500W	425 x 290 x 215	50°	₹41695
SFLSQL750	750W	650 x 290 x 215	50°	₹71770
SFLSQL1000	1000W	420 x 615 x 215	50°	₹96650



*250W / 500W ——— 3 YEARS WARRANTY
*750W / 1000W ——— 5 YEARS WARRANTY

SPFLA

Code	Wattage	Dimension	MRP
SPFLA200 / B200 / C200	200W	180 x 430 x 120	₹22200
SPFLA400 / B400 / C400	400W	300 x 430 x 120	₹40900
SPFLA600 / B600 / C600	600W	420 x 430 x 120	₹56595
SPFLA800 / B800 / C800	800W	540 x 430 x 120	₹75310
SPFLA1000 / B1000 / C1000	1000W	660 x 430 x 120	₹91685



*BEAM ANGLE A-8°, B-20°, C-60°.



HIGH BAY lights

HIGH BAY lights

LHBF

Code	Wattage	Dimension	Beam angle	MRP
LHBF50	50W	345 x 210	120°	₹3215
LHBF100	100W	340 x 290	120°	₹6390
LHBF150	150W	430 x 380	120°	₹8370
LHBF200	200W	460 x 390	120°	₹10020



LHBF S

Code	Wattage	Dimension	Beam angle	MRP
LHBF100S	100W	510 x 296	90°	₹4800
LHBF150S	150W	550 x 307	90°	₹6340
LHBF200S	200W	600 x 318	90°	₹8270



UFO light

UFO

Code	Wattage	Dimension	Beam angle	MRP
UFO50	50W	228 x 155	90°	₹3610
UFO80	80W	310 x 160	90°	₹5700
UFO100	100W	310 x 160	90°	₹5750
UFO120	120W	357 x 165	90°	₹7345
UFO150	150W	357 x 165	90°	₹8160
UFO200	200W	407 x 165	90°	₹11280



*2 & 5 YEARS WARRANTY AVAILABLE

UFOS

Code	Wattage	Dimension	Beam angle	MRP
UFO50S	50W	228 x 155	90°	₹3905
UFO80S	80W	310 x 160	90°	₹5890
UFO100S	100W	310 x 160	90°	₹5990
UFO120S	120W	357 x 165	90°	₹7855
UFO150S	150W	357 x 165	90°	₹7975
UFO200S	200W	407 x 165	90°	₹10775



*2 & 5 YEARS WARRANTY AVAILABLE

UFO spiral light

UFJS

Code	Wattage	Dimension	Beam angle	MRP
UFJS100	100W	228 x 155	90°	₹4550
UFJS150	150W	310 x 160	90°	₹6630
UFJS200	200W	357 x 165	90°	₹8355
UFJS250	250W	407 x 165	90°	₹13140



FUFO

Code	Wattage	Dimension	Beam angle	MRP
FUFO80	80W	270 x 182	100°	₹6145
FUFO140	140W	330 x 200	100°	₹7380



Linear High Bay light

LHWA01/B01

Code	Wattage	Dimension	Beam angle	MRP
LHWA01.530	30W	510 x 50 x 55	120°	₹3120
LHWA01160	60W	985 x 50 x 55	120°	₹5235
LHWA01.560	60W	510 x 70 x 75	120°	₹4520
LHWA011120	120W	985 x 70 x 75	120°	₹7740



*WITH GLASS

LHWA02/B02

Code	Wattage	Dimension	Beam angle	MRP
LHWA02.530	30W	510 x 50 x 55	120°	₹3085
LHWA02160	60W	985 x 50 x 55	120°	₹5175
LHWA02.560	60W	510 x 70 x 75	120°	₹4425
LHWA021120	120W	985 x 70 x 75	120°	₹7460



LHWA03

Code	Wattage	Dimension	Beam angle	MRP
LHWA03.560	60W	510 x 70 x 75	60°	₹4955
LHWA031120	120W	985 x 70 x 75	60°	₹8910



*GLASS WITH LENS

STREET lights

STREET lights

J-series

Code	Wattage	Dimension	Beam angle	MRP
LST24J1	24W	330 x 115 x 40	Batwing	₹1360
LST30J1	30W	330 x 115 x 40	Batwing	₹1395
LST36J2	36W	360 x 115 x 40	Batwing	₹1480
LST50J3	50W	400 x 140 x 50	Batwing	₹1855
LST70J3	70W	400 x 140 x 50	Batwing	₹2170
LST70J5	70W	562 x 180 x 55	Batwing	₹3645
LST90J5	90W	562 x 180 x 56	Batwing	₹4295
LST100J3	100W	400 x 140 x 50	Batwing	₹2175
LST100J5	100W	562 x 180 x 56	Batwing	₹4295
LST120J6/1	120W	562 x 180 x 56	Batwing	₹4325
LST150J5	150W	515 x 365 x 75	Batwing	₹9615
LST200J5	200W	515 x 365 x 75	Batwing	₹9775
LST250J5	250W	515 x 365 x 75	Batwing	₹11475


J AS - series

Code	Wattage	Dimension	Beam angle	MRP
LSTAS50J3	50W	400 x 140 x 50	Batwing	₹2835
LSTAS70J3	70W	400 x 140 x 50	Batwing	₹3275
LSTAS100J3	100W	400 x 140 x 50	Batwing	₹3415
LSTAS100J5	100W	562 x 180 x 56	Batwing	₹4295


C-series

Code	Wattage	Dimension	Beam angle	MRP
SLJC24	24W	260 x 100 x 55	Batwing	₹1080
SLJC36	36W	300 x 120 x 50	Batwing	₹1345
SLJC150	150W	565 x 205 x 75	Batwing	₹6465


E-series

Code	Wattage	Dimension	Beam angle	MRP
JSTE80	80W	390 x 185 x 75	120°	₹4475
JSTE100	100W	390 x 185 x 75	120°	₹4650



**WITH LENS OPTION ON REQUEST

F-series

Code	Wattage	Dimension	Beam angle	MRP
JSTF120	120W	470 x 230 x 75	120°	₹6600
JSTF150	150W	470 x 230 x 75	120°	₹7485



**WITH LENS OPTION ON REQUEST

G-series

Code	Wattage	Dimension	Beam angle	MRP
JSTG200	200W	560 x 270 x 75	120°	₹9720
JSTG250	250W	560 x 270 x 75	120°	₹10685



**WITH LENS OPTION ON REQUEST

L-series/N-series

Code	Wattage	Dimension	Beam angle	MRP
LST50LS5	50W	390 x 165 x 60	Batwing	₹3170
LST100N2F5	100W	725 x 285 x 70	Batwing	₹6945


K-series

Code	Wattage	Dimension	Beam angle	MRP
LST24KW	24W	104 x 240 x 45	Batwing	₹1030
LST36KW	36W	119 x 288 x 45	Batwing	₹1445
LST50KW	50W	140 x 311 x 45	Batwing	₹1855


Solar Street light
SOLS/1

Code	Wattage	Dimension	MRP
SOLS120/1	120W	658 x 220 x 52	₹6990



*BEAM ANGLE : LAMBETIAN DISTRIBUTION


SOLS/2

Code	Wattage	Dimension	Beam angle	MRP
SOLS100/2	100W	620 x 280 x 92	Batwing	₹9015
SOLS150/2	150W	720 x 280 x 92	Batwing	₹12840



WELLGLASS, PIT & CLEANROOM lights

WELL GLASS lights

SOLS/3/W/WW

Code	Wattage	Dimension	MRP
SOLS120/3/WW	120W	458 x 256 x 65	₹3495
SOLS160/3/WW/WW	160W	615 x 270 x 65	₹4635



*BEAM ANGLE : LAMBETIAN DISTRIBUTION



MWG40

Code	Wattage	Dimension	Beam angle	MRP
MWG40	40W	138 x 147	120°	₹1915



LWG0536/536S5

Code	Wattage	Dimension	Beam angle	MRP
LWG0536	36W	140 x 110	120°	₹1770
LWG0536S5	36W	140 x 110	120°	₹2080



LWG

Code	Wattage	Dimension	Beam angle	MRP
LWG25	25W	170 x 150	120°	₹2390
LWG36	36W	170 x 150	120°	₹2430
LWG40	40W	170 x 150	120°	₹2480
LWG45	45W	170 x 150	120°	₹2945
LWG60	60W	220 x 200	120°	₹3915
LWG70	70W	220 x 200	120°	₹4270
LWG80	80W	220 x 200	120°	₹4340



PIT lights

LWG40S5M

Code	Wattage	Dimension	Beam angle	MRP
LWG40S5M	40W	170 x 150	70°	₹2925



LPIT

Code	Wattage	Dimension	AC/DC	MRP
LPIT16A	16W/240V	240 x 130 x 85	AC	₹3020
LPIT24A	24W/240V	240 x 130 x 85	AC	₹3195
LPIT36A	36W/240V	240 x 130 x 85	AC	₹3550
LPIT16D24	16W/24V	240 x 130 x 85	DC	₹4320
LPIT24D24	24W/24V	240 x 130 x 85	DC	₹4330
LPIT36D24	36W/24V	240 x 130 x 85	DC	₹4345



*AVAILABLE ON REQUEST AC : 48V, 72V, 110V.

CLEANROOM lights

bottom opening

CLB11/12

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CLB1118	18W	325 x 325 x 50	285 x 285	120°	₹3745
CLB1125	25W	325 x 325 x 50	285 x 285	120°	₹3885
CLB1235	35W	325 x 615 x 50	285 x 572	120°	₹5510
CLB1245	45W	325 x 615 x 50	285 x 572	120°	₹5820
CLB1260	60W	325 x 615 x 50	285 x 572	120°	₹6900



CLB22/14

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CLB2235	35W	615 x 615 x 50	580 x 580	120°	₹7600
CLB2245	45W	615 x 615 x 50	580 x 580	120°	₹8240
CLB2270	70W	615 x 615 x 50	580 x 580	120°	₹11155
CLB22100	100W	615 x 615 x 50	580 x 580	120°	₹11830
CLB22120	120W	615 x 615 x 50	580 x 580	120°	₹12520
CLB22140	140W	615 x 615 x 50	580 x 580	120°	₹13670
CLB1445	45W	325 x 1225 x 50	285 x 1180	120°	₹9820
CLB1470	70W	325 x 1225 x 50	285 x 1180	120°	₹10400



top opening

CLBSS

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CLBSS1125	25W	325 x 325 x 50	285 x 258	120°	₹6350
CLBSS1235	35W	325 x 615 x 50	285 x 572	120°	₹9695
CLBSS2245	45W	615 x 615 x 50	580 x 580	120°	₹9995
CLBSS2270	70W	615 x 615 x 50	580 x 580	120°	₹15600
CLBSS1445	45W	325 x 1225 x 50	285 x 1180	120°	₹9995
CLBSS1470	70W	325 x 1225 x 50	285 x 1180	120°	₹15600



CLT11/12

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CLT1125	25W	300 x 300 x 60	285 x 285	120°	₹4325
CLT1235	35W	310 x 600 x 60	285 x 572	120°	₹6750
CLT1245	45W	310 x 600 x 60	285 x 572	120°	₹7050
CLT1280	80W	310 x 600 x 60	285 x 572	120°	₹8310



CLEANROOM & PANEL lights

CLT22

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CLT2245	45W	612 x 612 x 60	580 x 580	120°	₹9220
CLT2270	70W	612 x 612 x 60	580 x 580	120°	₹12805



PANEL lights

Recessed lights

PMS1118/25

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
PMS1118	18W	300 x 300 x 50	290 x 290	120°	₹3305
PMS1125	25W	300 x 300 x 50	290 x 290	120°	₹3470



CLTSS

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
CLTSS1125	25W	300 x 300 x 60	285 x 258	120°	₹6350
CLTSS1235	35W	310 x 600 x 60	285 x 572	120°	₹10565
CLTSS2245	45W	612 x 612 x 60	580 x 580	120°	₹16975
CLTSS2270	70W	612 x 612 x 60	580 x 580	120°	₹18050
CLTSS1445	45W	310 x 1200 x 60	285 x 1180	120°	₹16975
CLTSS1470	70W	310 x 1200 x 60	285 x 1180	120°	₹18050



*ONCO / ONWH / CCT-On request

PMS1230/35

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
PMS1230	30W	310 x 600 x 50	290 x 572	120°	₹5345
PMS1235	35W	310 x 600 x 50	290 x 572	120°	₹5610



PMS22

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
PMS2235	35W	610 x 610 x 50	582 x 582	120°	₹6715
PMS2245	45W	610 x 610 x 50	582 x 582	120°	₹6820
PMS2270	70W	610 x 610 x 50	582 x 582	120°	₹8250
PMS22100	100W	610 x 610 x 50	582 x 582	120°	₹9695



PMS1445/70

Code	Wattage	Dimension	Cut-out	Beam angle	MRP
PMS1445	45W	300 x 1200 x 50	290 x 1180	120°	₹7530
PMS1470	70W	300 x 1200 x 50	290 x 1180	120°	₹8010



Surface lights

PMS1230SC/35SC

Code	Wattage	Dimension	Beam angle	MRP
PMS1230SC	30W	300 x 600 x 50	120°	₹5405
PMS1235SC	35W	300 x 600 x 50	120°	₹5665



PMS22SC/14SC

Code	Wattage	Dimension	Beam angle	MRP
PMS2245SC	45W	600 x 600 x 50	120°	₹6805
PMS2270SC	70W	600 x 600 x 50	120°	₹8340
PMS2270SCG	70W	600 x 600 x 50	120°	₹9235
PMS22100SC	100W	600 x 600 x 50	120°	₹9585
PMS1445SC	45W	300 x 1200 x 50	120°	₹7660
PMS1470SC	70W	300 x 1200 x 50	120°	₹8135



PMS11SC

Code	Wattage	Dimension	Beam angle	MRP
PMS1118SC	18W	300 x 300 x 50	120°	₹3350
PMS1125SC	25W	300 x 300 x 50	120°	₹3515



PANS22S

Code	Wattage	Dimension	Beam angle	MRP
PANS2236S	36W	600 x 600 x 42	120°	₹3715
PANS2248S	48W	600 x 600 x 42	120°	₹3845



PANEL & TRIPROOF lights

PANS22SSP

Code	Wattage	Dimension	Beam angle	MRP
PANS2236SSP	36W	645 x 645 x 42	120°	₹3360
PANS2248SSP	48W	645 x 645 x 42	120°	₹3530



PANS2236/48

Code	Wattage	Dimension	Beam angle	MRP
PANS2236	36W	597 x 597 x 36	120°	₹2515
PANS2248	48W	597 x 597 x 36	120°	₹2750



TRI PROOF lights

LHTP

Code	Wattage	Dimension	Beam angle	MRP
LHTP202	20W	600 x 90 x 74	120°	₹4415
LHTP402	40W	600 x 90 x 74	120°	₹4710
LHTP404	40W	1200 x 90 x 74	120°	₹6475
LHTP604	60W	1200 x 90 x 74	120°	₹7380
LHTP804	80W	1200 x 90 x 74	120°	₹8080
LHTP1004	100W	1200 x 90 x 74	120°	₹8280



BATTEN lights

LHTPSH20/40

Code	Wattage	Dimension	Beam angle	MRP
LHTPSH20	20W	625 x 65 x 60	120°	₹2140
LHTPSH40	40W	1230 x 65 x 60	120°	₹3685



TLF436

Code	Wattage	Dimension	Beam angle	MRP
TLF436	36W	1180 x 25 x 40	120°	₹830



TLF42

Code	Wattage	Dimension	Beam angle	MRP
TLF42	20W	1175 x 22 x 40	120°	₹275



LFS220W

Code	Wattage	Dimension	Beam angle	MRP
LFS220W	36W	1200 x 75 x 25	120°	₹980



TLF43SOF

Code	Wattage	Dimension	Beam angle	MRP
TLF43SOF	20W	1175 x 22 x 40	120°	₹965



CONTACT US



1800 599 4699



info@fortuneartt.com



fortunearttgroup

Address :

Fortuneartt LED Lighting Pvt.Ltd ,Plot No.58-67,Sr.509/1/2,
Apparel Export Park,Gundlapochampali,
Hyderabad-500014,Telangana,India
Contact Number : 040-66996699 & 1800-599-4699.

www.fortuneartt.com